

EXHIBITOR

1 (877) 553-9477 | 900 E Trail Blvd | El Reno, OK 73036 | www.exiss.com | sales@exiss.com

EXHIBITOR

Perfect for hauling smaller livestock, the Exiss Exhibitor low profile trailers can be equipped to haul swine, goats, sheep and other small stock. With a broad lineup of standard features, Exiss low profile trailers are the safest way to transport your show livestock. Exiss' unparalleled options and customizations mean you can haul a rig tailored just for you. Whether you're looking for an easy-to-use bumper pull or a decked out gooseneck, Exiss builds it.

SEE WHAT'S NEW!





Tailored for livestock families wanting a great value and an easy-to-pull trailer, the Exhibitor Mini livestock trailer is designed especially for goat, sheep and swine enthusiasts. The Exhibitor Mini is available in lengths of 11 feet and 15 feet with a 6 foot width and is designed to be hauled behind a smaller vehicle. A combo floorplan is available in the 15-foot length. Inside height options of 5'8" or 6'2" are available. See more details on back.



TRAILER FEATURES

STANDARD FEATURES

- Available in 16' and 20' models
- 6'2" inside height 7' outside width
- All-aluminum construction
- Single piece aluminum roof
- Full length, polished aluminum extruded sides
- Three air gaps and Plexiglas or drop down windows
- Interlocking extruded aluminum plank non-skid floor
- Floor system features 2" X 4" I-beams on 13" centers
- Two 3,500 lbs rubber torsion axles
- Five 16" aluminum wheels with five Goodyear tires
- Two LED tail lights and LED clearance lights
- Two LED load lights at rear door and escape door
- 50/50 rear doors with one window per door
- Locking cam latches on rear doors

LIVESTOCK AREA FEATURES

- Multiple 4' long pens with divider gates on each side
- Pens convert from 'Alley Way' to '50/50' configuration
- Heavy-duty curbside access door
- Security gate and internal lock at side access door
- Full length LED strip light in stock area

DRESSING ROOM FEATURES

- Carpeted dressing room area with 4' straightwall
- Two LED dome lights in dressing room
- Walk-thru door from stock area to tack room
- Clothes rod

POPULAR OPTIONS


- 36" removable shelf in livestock area (14" deep)
- Aluminum pop-up roof vents
- Full width rear ramp
- Built in storage rack for feed pans
- Built in storage bin for whips
- Fold-up step below camper door



WE STAND BEHIND OUR TRAILERS! To demonstrate our confidence in livestock trailers, we offer a strong warranty to keep you covered! All Exiss trailers come with a fully transferrable, eight-year limited warranty.



EXTES











TRAILER FEATURES

STANDARD FEATURES

- Available in 20', 24' and 26' models
- 6'2" inside height 7' or 8' outside width
- All-aluminum construction
- Single piece aluminum roof
- Stainless steel nose sheet
- Full length, polished aluminum extruded sides
- Three air gaps and Plexiglas or drop down windows
- Interlocking extruded aluminum plank non-skid floor
- Floor system features 2" X 4" I-beams on 13" centers
- Ez-lube rubber torsion axles
- Five 16" aluminum wheels with five Goodyear tires
- Two LED tail lights and LED clearance lights
- Two LED load lights at rear door and escape door
- 50/50 rear doors with one window per door
- Locking cam latches on rear doors

LIVESTOCK AREA FEATURES

- Multiple 4' long pens with divider gates on each side
- Pens convert from 'Alley Way' to '50/50' configuration
- Heavy-duty curbside access door
- Tray in livestock area for Plexiglas storage
- Security gate and internal lock at side access door
- Full length LED light strip

DRESSING ROOM FEATURES


- Carpeted dressing room area with 4' straightwall
- Two LED dome lights in dressing room
- Walk-thru door from stock area to tack room
- Clothes rod

POPULAR OPTIONS

- Lined and insulated roof and walls
- Built in storage bin for whips
- Fold-up step below camper door
- Full width rear ramp
- Easy Care flooring
- Side access ramp



TRAILER SPECIFICATIONS





CUSTOM OPTIONS: (1) Powder Coated Pens (2) Hinged Cover Panels (3) Removalble Shelf/Tray (4) Fans and Misters For more options, log on to www.exiss.com or visit your local dealership

EXHIBITOR MINI 6' Wide Models



TRAILER FEATURES

STANDARD FEATURES

- Available in 11' & 15' models
- 6' outside width
- 5'8" or 6'2" inside height
- All-aluminum construction
- Single piece aluminum roof
- Extruded aluminum slat outside stock area
- Two air gaps (611, 615, 615A combo models)
- 18" x 45" drop down feed window per side per pen (615W combo model)
- Interlocking extruded aluminum non-skid plank floor
- Floor system features 2" x 4" I-beams on 12" centers
- One 5,200 lbs. rubber torsion axle (11'); Two 3,500 lbs rubber torsion axles (15')
- Three or five 15" steel wheels with 8 ply tires (includes spare)
- LED brake and running lights
- Full swing rear gate
- Gravel guard

LIVESTOCK AREA FEATURES

- Full swing center gate
- Heavy-duty curbside access door
- LED dome light

DRESSING ROOM FEATURES (15' COMBO MODEL)

- 3' straight wall tack room w/ carpeted floor
- LED dome light
- Camper door w/ sliding window & dead bolt

POPULAR OPTIONS

- 50/50 rear doors
- Full width rear ramp
- Pen system
- Aluminum wheels
- Roof vents
- Plexiglas (Air gap model)
- 2" lower air gap (Air gap model)

TRAILER SPECIFICATIONS

Trailer Model	Belly Length	Interior Height	Outside Width	Dressing Room	Stock Area	Model Style	GVWR	Empty Weight	Wheel Size	Tire Specs	Axle Size
Mini 611 BP	11'	5'8" or 6'2"	6'	N/A	Pens Optional	Air Gaps	5,200	1,600	15" Steel	8 Ply	(1) 5,200
Mini 615 BP	15'	5'8" or 6'2"	6'	N/A	Pens Optional	Air Gaps	7,000	TBD	15" Steel	8 Ply	(2) 3,500
Mini Combo 615A BP	15'	5'8" or 6'2"	6'	3'	Pens Optional	Air Gaps	7,000	TBD	15" Steel	8 Ply	(2) 3,500
Mini Combo 615W BP	15'	5'8" or 6'2"	6'	3'	Pens Optional	Windows	7,000	TBD	15" Steel	8 Ply	(2) 3,500



THE MARK OF EXCELLENCE

1 (877) 553-9477 | 900 E. Trail Blvd. | El Reno, OK 73036 | www.exiss.com | sales@exiss.com

In keeping with its policy of continuous improvement, Exiss reserves the right to make specification changes at any time without notice or obligation. All dimensions listed in this brochure are approximate. Illustrations may include optional equipment.